

A professional cyclist is shown in a dynamic, aerodynamic riding posture on a red Lapierre road bike. The cyclist is wearing a black long-sleeved jersey, black shorts, white socks, white shoes, a white helmet, and yellow-tinted cycling glasses. The bike features a prominent red frame with the 'LAPIERRE' brand name in white lettering on the down tube. The background is a blurred urban setting, suggesting motion. The overall image has a dark, moody aesthetic with a semi-transparent text overlay on the right side.

LAPIERRE

Lapierre是一个法国历史悠久的品牌，创建于1946年。作为法国一级公路赛职业车队 FDJ 的主力赞助品牌，Lapierre 公路车系列采用了令人赞叹的外观工业设计，以及先进的碳纤维复合材料技术，让每一辆专业成车具有高骑乘质量与运动效果，同时，也将法国人对单车独特的情怀与文化思想融入其中。它一直是狂热的赛事赞助商，涉及几乎所有领域世界杯等级的赛事。

Aircode DRS


RANGE



LAPIERRE

Geometry


AIRCODE DRS



SIZE	XS	S	M	L	XL
ST (MM)	440	460	490	520	550
TT (MM)	520	531	547	568	587
HA (°)	72	72	73	73	74
SA (°)	74	74	74	73,5	73,5
RC DSC	405	405	405	405	405
HT (MM)	105	120	140	160	180
BB (MM)	-67	-67	-67	-67	-67
FRK LENGTH	368	368	368	368	368
FRK OFFSET	50	50	50	50	50
STACK	501	516	538	557	580
REACH	376	383	393	403	415
WB	969	981	989	1005	1014
USER	155-162	160-172	170-182	180-190	>188
REF.	LA_R440	LA_R460	LA_R490	LA_R520	LA_R550

Nomenclature

AIRCODE DRS



Aircode DRS SE

NEIGE MANKIEWICZ - MAT

Ref. LALRA



Frame	Aircode DRS Disc Thru axle UD Superlight carbon
Fork	Aircode DRS Disc Thru axle UD Superlight carbon
Front derailleur	Shimano Dura-Ace Di2 R9250
Rear derailleur	Shimano Dura-Ace Di2 R9250,12s
Crankset	Shimano Dura-Ace R9200, 52-36T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB7241B
Sprocket	Shimano Dura-Ace R9200 11-30T 12s
Chain	Shimano Dura-Ace CN-M9100 12s
Rotors	Shimano MT900 160mm /140mm Centerlock
Shiftlevers	Shimano Dura-Ace Di2 ST-R9270
Headset	Acros integrated + Combo Acros Spacer
Handlebar	Lapierre Combo UD carbon, -10°, 400mm/90mm (XS,S), 400mm/100mm (M), 420mm/110mm (L), 420mm/120mm (XL)
Grips	Lapierre Vexgel tape
Seatpost	Lapierre Aero Carbon, offset: 0mm
Saddle	Prologo Dimension carbon rails
Wheelset	Lapierre Road Disc Carbon 700x21c 50mm height, Shimano driver, Tubeless Ready
Tires	Continental GP5000S TR Tubeless ready 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Aircode DRS 9.0

GREY BLUE - GLOSSY

Ref. LAERC



Frame	Aircode DRS Disc Thru axle UD Superlight carbon
Fork	Aircode DRS Disc Thru axle UD Superlight carbon
Front derailleur	Shimano Dura-Ace Di2 R9250
Rear derailleur	Shimano Dura-Ace Di2 R9250,12s
Crankset	Shimano Dura-Ace R9200, 52-36T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB7241B
Sprocket	Shimano Dura-Ace R9200 11-30T 12s
Chain	Shimano Dura-Ace CN-M9100 12s
Rotors	Shimano MT900 160mm /140mm Centerlock
Shiftlevers	Shimano Dura-Ace Di2 ST-R9270
Headset	Acros integrated + Combo Acros Spacer
Handlebar	Lapierre Combo UD carbon, -10°, 400mm/90mm (XS,S), 400mm/100mm (M), 420mm/110mm (L), 420mm/120mm (XL)
Grips	Lapierre Vexgel tape
Seatpost	Lapierre Aero Carbon, offset: 0mm
Saddle	Prologo Dimension carbon rails
Wheelset	Lapierre Road Disc Carbon 700x21c 50mm height, Shimano driver, Tubeless Ready
Tires	Continental GP5000S TR Tubeless ready 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

LAPIERRE

Aircode DRS 8.0 - C1

BLACK PURPLE - GLOSSY

Ref. LADRB



Frame	Aircode DRS Disc Thru axle UD Superlight carbon
Fork	Aircode DRS Disc Thru axle UD Superlight carbon
Front derailleur	Shimano Ultegra Di2 R8150
Rear derailleur	Shimano Ultegra Di2 R8150, 12s
Crankset	Shimano Ultegra R8150, 52-36T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB72-41B
Sprocket	Shimano Ultegra R8100 11-30T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano MT900 160mm /140mm Centerlock
Shiftlevers	Shimano Ultegra ST-R8170
Headset	Acros integrated + Combo Acros Spacer
Handlebar	Lapierre Combo UD carbon, -10°, 400mm/90mm (XS,S), 400mm/100mm (M), 420mm/110mm (L), 420mm/120mm (XL)
Grips	Lapierre Vexgel tape
Seatpost	Lapierre Aero Carbon, offset: 0mm
Saddle	Prologo Dimension T4.0 rails
Wheelset	DT Swiss ARC1400 Dicut 700x20c 50mm height, Centerlock, Tubeless Ready
Tires	Continental GP5000S TR Tubeless ready 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Aircode DRS 8.0 - C2

DARK SAND - MAT

Ref. LADRC



Frame	Aircode DRS Disc Thru axle UD Superlight carbon
Fork	Aircode DRS Disc Thru axle UD Superlight carbon
Front derailleur	Shimano Ultegra Di2 R8150
Rear derailleur	Shimano Ultegra Di2 R8150, 12s
Crankset	Shimano Ultegra R8150, 52-36T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB72-41B
Sprocket	Shimano Ultegra R8100 11-30T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano MT900 160mm /140mm Centerlock
Shiftlevers	Shimano Ultegra ST-R8170
Headset	Acros integrated + Combo Acros Spacer
Handlebar	Lapierre Combo UD carbon, -10°, 400mm/90mm (XS,S), 400mm/100mm (M), 420mm/110mm (L), 420mm/120mm (XL)
Grips	Lapierre Vexgel tape
Seatpost	Lapierre Aero Carbon, offset: 0mm
Saddle	Prologo Dimension T4.0 rails
Wheelset	DT Swiss ARC1400 Dicut 700x20c 50mm height, Centerlock, Tubeless Ready
Tires	Continental GP5000S TR Tubeless ready 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

LAPIERRE

Aircode DRS 7.0 - C1

DARK GREEN - GLOSSY

Ref. LACRA



Frame	Aircode DRS Disc Thru axle UD Superlight carbon
Fork	Aircode DRS Disc Thru axle UD Superlight carbon
Front derailleur	Shimano Ultegra Di2 R8150
Rear derailleur	Shimano Ultegra Di2 R8150, 12s
Crankset	Shimano Ultegra R8150, 52-36T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB72-41B
Sprocket	Shimano Ultegra R8100 11-30T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano MT800 160mm /140mm Centerlock
Shiftlevers	Shimano Ultegra ST-R8170
Headset	Acros integrated + Aircode Acros Spacer
Handlebar	Lapierre Aero UD carbon with Triathlon extensions, Width: 400mm (XS,S), 420mm (M,L,XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre Aero Carbon, offset: 0mm
Saddle	Prologo Dimension T4.0 rails
Wheelset	Lapierre Road Disc Carbon 700x21c 50mm height, Shimano driver, Tubeless Ready
Tires	Continental GP5000S TR Tubeless ready 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Aircode DRS 7.0 - C2

BLACK PURPLE - GLOSSY

Ref. LACRB



Frame	Aircode DRS Disc Thru axle UD Superlight carbon
Fork	Aircode DRS Disc Thru axle UD Superlight carbon
Front derailleur	Shimano Ultegra Di2 R8150
Rear derailleur	Shimano Ultegra Di2 R8150, 12s
Crankset	Shimano Ultegra R8150, 52-36T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB72-41B
Sprocket	Shimano Ultegra R8100 11-30T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano MT800 160mm /140mm Centerlock
Shiftlevers	Shimano Ultegra ST-R8170
Headset	Acros integrated + Aircode Acros Spacer
Handlebar	Lapierre Aero UD carbon with Triathlon extensions, Width: 400mm (XS,S), 420mm (M,L,XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre Aero Carbon, offset: 0mm
Saddle	Prologo Dimension T4.0 rails
Wheelset	Lapierre Road Disc Carbon 700x21c 50mm height, Shimano driver, Tubeless Ready
Tires	Continental GP5000S TR Tubeless ready 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

LAPIERRE

Aircode DRS 6.0 AXS

DARK GREEN CHROME - GLOSSY

Ref. LABRA



Frame	Aircode DRS Disc Thru axle UD Superlight carbon
Fork	Aircode DRS Disc Thru axle UD Superlight carbon
Front derailleur	SRAM Rival ETAP AXS Braze-On
Rear derailleur	SRAM Rival ETAP AXS Max 36T, 12s
Crankset	SRAM Rival Dub 46-33T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	SRAM DUB Press Fit 86.5 Road
Sprocket	SRAM XG 1250 10-36T 12s
Chain	SRAM Rival 12s
Rotors	SRAM Paceline 160mm/140mm Centerlock
Shiftlevers	SRAM Rival ETAP AXS
Headset	Acros integrated + Aircode Acros Spacer
Handlebar	Lapierre Aero UD carbon, Width: 400mm (XS,S), 420mm (M,L,XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre Aero Carbon, offset: 0mm
Saddle	Prologo Dimension STN rails
Wheelset	Lapierre Road Disc Carbon 700x21c, 42mm height, XDR driver, Tubeless Ready
Tires	Schwalbe ONE Performance TLE 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Aircode DRS 5.0

REDWOOD - GLOSSY

Ref. LAARA



Frame	Aircode DRS Disc Thru axle UD Superlight carbon
Fork	Aircode DRS Disc Thru axle UD Superlight carbon
Front derailleur	Shimano 105 R7100
Rear derailleur	Shimano 105 R7000, 12s
Crankset	Shimano 105 R7100, 50-34T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB71-41B
Sprocket	Shimano R7100 11-34T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano RT70 160mm /140mm Centerlock
Shiftlevers	Shimano 105 ST-R7120
Headset	Acros integrated + Aircode Acros Spacer
Handlebar	Lapierre UD Carbon, Width: 400mm (XS,S) 420mm (M,L,XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre Aero Carbon, offset: 0mm
Saddle	Prologo Dimension STN rails
Wheelset	Lapierre Road 700x19c Alloy Disc, Shimano Driver, Centerlock, Tubeless compatible
Tires	Schwalbe ONE Performance TLE 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

LAPIERRE

Aircode DRS 5.0 Di2

DAVY GREY

Ref. LAAPB



Frame	Aircode DRS Disc Thru axle UD Superlight carbon
Fork	Aircode DRS Disc Thru axle UD Superlight carbon
Front derailleur	Shimano 105 Di2 R7150
Rear derailleur	Shimano 105 Di2 R7150, 12s
Crankset	Shimano 105 R7100, 50-34T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB7141B
Sprocket	Shimano R7100 11-34T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano RT70 160mm/140mm Centerlock
Shiftlevers	Shimano 105 ST-R7170
Headset	Acros integrated + Aircode Acros Spacer
Handlebar	Lapierre UD Carbon, Width: 400mm (XS,S) 420mm (M,L,XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre Aero Carbon, offset: 0mm
Saddle	Prologo Dimension STN rails
Wheelset	DT Swiss E1800 SPLINE® 700x22c, 23mm height, Shimano ASF11 driver, Centerlock
Tires	Schwalbe ONE Performance TLE 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Aircode DRS 5.0 Di2 - C2

DARK PURPLE - GLOSSY

Ref. LAARC



Frame	Aircode DRS Disc Thru axle UD Superlight carbon
Fork	Aircode DRS Disc Thru axle UD Superlight carbon
Front derailleur	Shimano 105 Di2 R7150
Rear derailleur	Shimano 105 Di2 R7150, 12s
Crankset	Shimano 105 R7100, 50-34T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB7141B
Sprocket	Shimano R7100 11-34T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano RT70 160mm/140mm Centerlock
Shiftlevers	Shimano 105 ST-R7170
Headset	Acros integrated + Aircode Acros Spacer
Handlebar	Lapierre UD Carbon, Width: 400mm (XS,S) 420mm (M,L,XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre Aero Carbon, offset: 0mm
Saddle	Prologo Dimension STN rails
Wheelset	DT Swiss E1800 SPLINE® 700x22c, 23mm height, Shimano ASF11 driver, Centerlock
Tires	Schwalbe ONE Performance TLE 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

LAPIERRE

Aircode DRS Frameset

DARK GREEN CHROME - GLOSSY

Ref. LAKRA



Frame	Aircode DRS Disc Thru axle UD Superlight carbon (Techno Carbon Team)
Fork	Aircode DRS Disc Thru axle UD Superlight carbon (Techno Carbon Team)
Headset	Acros integrated + Aircode Acros Spacer
Handlebar	Lapierre Aero UD carbon with Triathlon extensions, Width: 400mm (XS,S), 420mm (M,L,XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre Aero Carbon, offset: 0mm & 20mm
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Aircode DRS Groupama-FDJ Frameset

GROUPAMA-FDJ REPLICA

Ref. LAKRB



Frame	Aircode DRS Disc Thru axle UD Superlight carbon (Techno Carbon Team)
Fork	Aircode DRS Disc Thru axle UD Superlight carbon (Techno Carbon Team)
Headset	Acros integrated + Aircode Acros Spacer
Handlebar	Lapierre Aero UD carbon with Triathlon extensions, Width: 400mm (XS,S), 420mm (M,L,XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre Aero Carbon, offset: 0mm & 20mm
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

LAPIERRE

Xelius DRS

RANGE

Designed for high speed
& engineered to defy the laws of physics.




The Xelius DRS, more than just a competition bike:

- The bike of the FDJ-Suez Women's World Tour Team
- Patented 3D Tubular technology
- Advanced aerodynamics meticulously studied in wind tunnels

Geometry

XELIUS DRS

Tire width_max:
32mm




Size	XS	S	M	L	XL	XXL
ST (mm)	440	458	489	518	547	577
TT (mm)	520	531	547	568	587	605
HA (°)	72	72	73	73	74	74
SA (°)	74	74	74	74	74	74
RC (mm)	405	405	405	405	405	405
HT (mm)	105	120	140	160	180	200
BB (mm)	-67	-67	-67	-67	-67	-67
Frk Length (mm)	368	368	368	368	368	368
Frk Offset (mm)	50	50	50	50	50	50
Stack (mm)	501	516	538	557	580	599
Reach (mm)	376	383	393	403	415	428
WB (mm)	969	981	989	1005	1014	1032
User	155-162	160-172	170-182	180-192	190-200	>195
Ref.	LX_T_440	LX_T_460	LX_T_490	LX_T_520	LX_T_550	LX_T_580

LAPIERRE

Xelius DRS SE

THUNDER GREY

Ref. LXGTA



Non-binding illustration

Frame	Carbon UD SLI TEAM
Fork	Carbon UD SLI TEAM
Front derailleur	SRAM RED AXS Brazed-On
Rear derailleur	SRAM RED AXS, 12s
Crankset	SRAM RED AXS E1 Dub 48-35T 165mm (XS), 170mm (S), 172,5mm (M,L), 175mm (XL,XXL) with POWERMETER
Bottom bracket	SRAM DUB Press Fit 86.5 Road
Sprocket	SRAM XG 1290 10-33T 12s
Chain	SRAM RED 12s
Rotors	SRAM Paceline X 160mm/140mm Centerlock
Shiftlevers	SRAM RED AXS
Headset	Acros integrated
Handlebar	Lapierre Semi-integrated Combo UD carbon, -10°, 370mm/90mm (XS,S), 390mm/100mm (M), 410mm/110mm (L), 410mm/120mm (XL,XXL), Drop: 125mm, Reach: 72mm, Flare: 5°
Grips	Lapierre tape
Seatpost	Lapierre Carbon, Xelius DRS, 0mm Offset, L: 350mm (XS,S,M) 400mm (L,XL,XXL)
Saddle	Prologo Dimension Nack rails
Wheelset	DT Swiss ERC1100 Spline Front: 35mm / Rear: 45mm (22mm width), Centerlock, Tubeless compatible, XD Driver
Tires	Continental GP 5000S TR 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + combo specific GPS Mount for Garmin & Wahoo

Xelius DRS 10.0

TRANSLUCENT HEX BLUE

Ref. LXFTA



Non-binding illustration


Frame	Carbon UD SLI TEAM
Fork	Carbon UD SLI TEAM
Front derailleur	Shimano Dura-Ace Di2 R9250 Brazed-On
Rear derailleur	Shimano Dura-Ace Di2 R9250 12s
Crankset	Shimano Dura-Ace R9200, 52-36T 165mm (XS), 170mm (S), 172,5mm (M,L), 175mm (XL,XXL)
Bottom bracket	Shimano Press Fit BB72-41B
Sprocket	Shimano Dura-Ace R9200 11-34T 12s
Chain	Shimano CN-M9100 12s
Rotors	Shimano RT-CL900 160mm /140mm Centerlock
Shiftlevers	Shimano Dura-Ace ST-R9270
Headset	Acros integrated
Handlebar	Lapierre Semi-integrated Combo UD carbon, -10°, 370mm/90mm (XS,S), 390mm/100mm (M), 410mm/110mm (L), 410mm/120mm (XL,XXL), Drop: 125mm, Reach: 72mm, Flare: 5°
Grips	Lapierre tape
Seatpost	Lapierre Carbon, Xelius DRS, 0mm Offset, L: 350mm (XS,S,M) 400mm (L,XL,XXL)
Saddle	Prologo Dimension Nack rails
Wheelset	DT Swiss ERC1100 Spline Front: 35mm / Rear: 45mm (22mm width), Centerlock, Tubeless compatible, HD Driver
Tires	Continental GP 5000S TR 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + combo specific GPS Mount for Garmin & Wahoo

LAPIERRE

Xelius DRS 9.0

COLD RAIN GREY

Ref. LXETA




Non-binding illustration.

Xelius DRS 8.0 AXS

CHROME

Ref. LXDTC



Non-binding illustration.

Frame	Carbon UD SLI
Fork	Carbon UD SLI
Front derailleur	Shimano Dura-Ace Di2 R9250 Brazed-On
Rear derailleur	Shimano Dura-Ace Di2 R9250 12s
Crankset	Shimano Dura-Ace R9200, 52-36T 165mm (XS), 170mm (S), 172,5mm (M,L), 175mm (XL,XXL)
Bottom bracket	Shimano Press Fit BB72-41B
Sprocket	Shimano Dura-Ace R9200 11-34T 12s
Chain	Shimano CN-M9100 12s
Rotors	Shimano RT-CL900 160mm /140mm Centerlock
Shiftlevers	Shimano Dura-Ace ST-R9270
Headset	Acros integrated
Handlebar	Lapierre Semi-integrated Combo UD carbon, -10°, 370mm/90mm (XS,S), 390mm/100mm (M), 410mm/110mm (L), 410mm/120mm (XL,XXL), Drop: 125mm, Reach: 72mm, Flare: 5°
Grips	Lapierre tape
Seatpost	Lapierre Carbon, Xelius DRS, 0mm Offset, L: 350mm (XS,S,M) 400mm (L,XL,XXL)
Saddle	Prologo Dimension T4.0 rails
Wheelset	DT Swiss ERC1400 Spline Front: 35mm / Rear: 45mm (22mm width), Centerlock, Tubeless compatible, HD Driver
Tires	Continental GP 5000S TR 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + combo specific GPS Mount for Garmin & Wahoo

Frame	Carbon UD SLI
Fork	Carbon UD SLI
Front derailleur	SRAM Force ETAP AXS Brazed-On
Rear derailleur	SRAM Force ETAP AXS, 12s
Crankset	SRAM Force AXS D2 Dub 48-35T 165mm (XS), 170mm (S), 172,5mm (M,L), 175mm (XL,XXL) with POWERMETER
Bottom bracket	SRAM DUB Press Fit 86.5 Road
Sprocket	SRAM XG 1270 10-33T 12s
Chain	SRAM Force 12s
Rotors	SRAM Paceline 160mm/140mm Centerlock
Shiftlevers	SRAM Force ETAP AXS
Headset	Acros integrated
Handlebar	Lapierre Semi-integrated Combo UD carbon, -10°, 370mm/90mm (XS,S), 390mm/100mm (M), 410mm/110mm (L), 410mm/120mm (XL,XXL), Drop: 125mm, Reach: 72mm, Flare: 5°
Grips	Lapierre tape
Seatpost	Lapierre Carbon, Xelius DRS, 0mm Offset, L: 350mm (XS,S,M) 400mm (L,XL,XXL)
Saddle	Prologo Dimension T4.0 rails
Wheelset	DT Swiss ERC1600 Spline 45mm (22mm width), Centerlock, Tubeless compatible, XD Driver
Tires	Continental GP 5000S TR 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + combo specific GPS Mount for Garmin & Wahoo

LAPIERRE

LAPIERRE

Xelius DRS 8.0

BLACK

Ref. LXDTB



Non-binding illustration

Xelius DRS 8.0

PARIS STONE BEIGE

Ref. LXDTA



Non-binding illustration

Frame	Carbon UD SLI
Fork	Carbon UD SLI
Front derailleur	Shimano Ultegra Di2 R8150 Brazed-On
Rear derailleur	Shimano Ultegra Di2 R8150, 12s
Crankset	Shimano Ultegra R8100, 52-36T 165mm (XS), 170mm (S), 172,5mm (M,L), 175mm (XL,XXL)
Bottom bracket	Shimano Press Fit BB72-41B
Sprocket	Shimano Ultegra R8101 11-34T 12s
Chain	Shimano CN-M7100 12s
Rotors	Shimano RT-CL900 160mm /140mm Centerlock
Shiftlevers	Shimano Ultegra ST-R8170
Headset	Acros integrated
Handlebar	Lapierre Semi-integrated Combo UD carbon, -10°, 370mm/90mm (XS,S), 390mm/100mm (M), 410mm/110mm (L), 410mm/120mm (XL,XXL), Drop: 125mm, Reach: 72mm, Flare: 5°
Grips	Lapierre tape
Seatpost	Lapierre Carbon, Xelius DRS, 0mm Offset, L: 350mm (XS,S,M) 400mm (L,XL,XXL)
Saddle	Prologo Dimension T4.0 rails
Wheelset	DT Swiss ERC1600 Spline 45mm (22mm width), Centerlock, Tubeless compatible, HG Driver
Tires	Continental GP 5000S TR 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + combo specific GPS Mount for Garmin & Wahoo

Frame	Carbon UD SLI
Fork	Carbon UD SLI
Front derailleur	Shimano Ultegra Di2 R8150 Brazed-On
Rear derailleur	Shimano Ultegra Di2 R8150, 12s
Crankset	Shimano Ultegra R8100, 52-36T 165mm (XS), 170mm (S), 172,5mm (M,L), 175mm (XL,XXL)
Bottom bracket	Shimano Press Fit BB72-41B
Sprocket	Shimano Ultegra R8101 11-34T 12s
Chain	Shimano CN-M7100 12s
Rotors	Shimano RT-CL900 160mm /140mm Centerlock
Shiftlevers	Shimano Ultegra ST-R8170
Headset	Acros integrated
Handlebar	Lapierre Semi-integrated Combo UD carbon, -10°, 370mm/90mm (XS,S), 390mm/100mm (M), 410mm/110mm (L), 410mm/120mm (XL,XXL), Drop: 125mm, Reach: 72mm, Flare: 5°
Grips	Lapierre tape
Seatpost	Lapierre Carbon, Xelius DRS, 0mm Offset, L: 350mm (XS,S,M) 400mm (L,XL,XXL)
Saddle	Prologo Dimension T4.0 rails
Wheelset	DT Swiss ERC1600 Spline 45mm (22mm width), Centerlock, Tubeless compatible, HG Driver
Tires	Continental GP 5000S TR 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + combo specific GPS Mount for Garmin & Wahoo

LAPIERRE

LAPIERRE

Xelius DRS 5.0

CREPUSCULE BLUE

Ref. LXATA



Photo: Studio G. Basso - 2019

Photo: Studio G. Basso - 2019

Frame	Carbon UD SLI
Fork	Carbon UD SLI
Front derailleur	Shimano 105 R7100 Brazed-On
Rear derailleur	Shimano 105 R7100, 12s
Crankset	Shimano 105 R7100, 50-34T 165mm (XS), 170mm (S), 172.5mm (M,L), 175mm (XL,XXL)
Bottom bracket	Shimano Press Fit BB71-41B
Sprocket	Shimano 105 R7100 11-34T 12s
Chain	Shimano CN-M7100 12s
Rotors	Shimano SM-RT70 160mm /140mm Centerlock
Shiftlevers	Shimano 105 ST-R7120
Headset	Acros integrated
Handlebar	Lapierre Carbon Aero, Width: 380mm (XS,S), 400mm (M), 420mm (L,XL,XXL), Drop: 130mm, Reach: 70mm, Flare: 5°
Grips	Lapierre tape
Stem	Lapierre alloy, semi-integrated routing, -10°, Ø: 31.8mm, 80mm (XS), 90mm (S), 100mm (M), 110mm (L), 120mm (XL,XXL)
Seatpost	Lapierre Carbon, Xelius DRS, 0mm Offset, L: 350mm (XS,S,M) 400mm (L,XL,XXL)
Saddle	Selle Italia Model X Superflow 145mm
Wheelset	Lapierre Road Alloy Disc (21mm width), Centerlock, Tubeless compatible, HG Driver
Tires	Continental Ultra Sport III 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + GPS mount for Garmin & Wahoo adapter

LAPIERRE

Xelius DRS SO Frameset

RAINBOW CHROME

Ref. LXKTC



Frame	Carbon UD SLI TEAM
Fork	Carbon UD SLI TEAM
Headset	Acros integrated
Handlebar	Lapierre Semi-Integrated Combo UD carbon, -10°, 370mm/90mm (XS,S), 390mm/100mm (M), 410mm/110mm (L), 410mm/120mm (XL,XXL), Drop: 125mm, Reach: 72mm, Flare: 5°
Seatpost	Lapierre Carbon, Xelius DRS, 0mm Offset, L: 350mm (XS,S,M) 400mm (L,XL,XXL)
Accessories	Thru axle multitool lever + combo specific GPS Mount for Garmin & Wahoo

LAPIERRE

Xelius DRS Frameset

COLD RAIN GREY

Ref. L XKTA



Frame	Carbon UD SLI TEAM
Fork	Carbon UD SLI TEAM
Headset	Acros integrated
Handlebar	Lapierre Semi-integrated Combo UD carbon, -10°, 370mm/90mm (XS,S), 390mm/100mm (M), 410mm/110mm (L), 410mm/120mm (XL,XXL), Drop: 125mm, Reach: 72mm, Flare: 5°
Seatpost	Lapierre Carbon, Xelius DRS, 0mm Offset, L: 350mm (XS,S,M) 400mm (L,XL,XXL)
Accessories	Thru axle multitool lever + combo specific GPS Mount for Garmin & Wahoo

LAPIERRE

Xelius DRS Frameset

RAW CARBON

Ref. L XKTB



Frame	Carbon UD SLI TEAM
Fork	Carbon UD SLI TEAM
Headset	Acros integrated
Handlebar	Lapierre Semi-integrated Combo UD carbon, -10°, 370mm/90mm (XS,S), 390mm/100mm (M), 410mm/110mm (L), 410mm/120mm (XL,XXL), Drop: 125mm, Reach: 72mm, Flare: 5°
Seatpost	Lapierre Carbon, Xelius DRS, 0mm Offset, L: 350mm (XS,S,M) 400mm (L,XL,XXL)
Accessories	Thru axle multitool lever + combo specific GPS Mount for Garmin & Wahoo

LAPIERRE

Xelius SL Frameset

SYMBIOSIS BLACK - GLOSSY

Ref. L XKRA



Frame	Xelius SL Disc Thru axle UD Superlight carbon (Techno Carbon Team)
Fork	Xelius SL Disc Thru axle UD Superlight carbon (Techno Carbon Team)
Headset	Acros integrated + Xelius Acros Spacer
Handlebar	Lapierre UD Carbon, Width: 400mm (XS,S) 420mm (M,L,XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre alloy, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre carbon light, Ø: 27.2mm, L: 350mm
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Xelius SL Groupama-FDJ Frameset

GROUPAMA-FDJ REPLICA

Ref. L XKRB



Frame	Xelius SL Disc Thru axle UD Superlight carbon (Techno Carbon Team)
Fork	Xelius SL Disc Thru axle UD Superlight carbon (Techno Carbon Team)
Headset	Acros integrated + Xelius Acros Spacer
Handlebar	Lapierre UD Carbon, Width: 400mm (XS,S) 420mm (M,L,XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre alloy, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre carbon light, Ø: 27.2mm, L: 350mm
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

LAPIERRE

LAPIERRE

Aerostorm DRS

RANGE

Once in the saddle, installed as if in a cockpit, with a low centre of gravity and an aggressive position, you can set out to beat your times.




The Aerostorm, much more than a time trial bike:

- FDJ-Suez's Team time trial bike
- Advanced engineering work in wind tunnel
- High-end components

Geometry

AEROSTORM DRS



Size	S	M	L	XL
ST (MM)	490	510	550	580
TT (MM)	505	529	552	575
HA (°)	72	72	72	72
SA (°)	75	75	75	75
RC (MM)	405	405	405	405
HT (MM)	72	102	133	165
BB (MM)	-68	-68	-68	-68
REACH	380	395	410	425
STACK	470	500	530	560
User	150-170	168-178	176-186	>184
Ref.	LF_TA490	LF_TA510	LF_TA550	LF_TA580

Aerostorm DRS

MIDNIGHT PLUM PURPLE

Ref. LFATA



Aerostorm DRS Frameset

RAW CARBON

Ref. LFKTA



Frame	Carbon UD SL
Fork	Carbon UD SL
Front derailleur	Shimano Dura-Ace Di2 R9250 Brazed-On
Rear derailleur	Shimano Ultegra Di2 R8150, 12s
Crankset	Shimano Dura-Ace R9200, 54-40T 170mm (S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB72-41B
Sprocket	Shimano Ultegra R8100 11-30T 12s
Chain	Shimano CN-M7100 12s
Rotors	Shimano MT900 160mm /140mm Centerlock
Shiftlevers	Shimano Dura-Ace Di2 TT ST-R9180 + Shift Switch SW-R9160 for extensions
Headset	FSA 1"1/8 1"1/4 Orbit C-33 44E
Handlebar	Lapierre integrated TT cockpit UD carbon with carbon extensions, Width: 400mm (axle/axle), 70mm (S), 85mm (M), 100mm (L/XL)
Grips	Lapierre tape
Seatpost	Lapierre Aero TT carbon
Saddle	Prologo Dimension Tri Tirox rails
Wheelset	DT Swiss ARC1400 Dicut Front: 62mm / Rear: 80mm (20mm width), Centerlock, Tubeless compatible, HG Driver
Tires	Continental GP5000S TR Tubeless ready 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever

Frame	Carbon UD SL
Fork	Carbon UD SL
Headset	FSA 1"1/8 1"1/4 Orbit C-33 44E
Handlebar	Lapierre integrated TT cockpit UD carbon with carbon extensions, Width: 400mm (axle/axle), 70mm (S), 85mm (M), 100mm (L/XL)
Grips	Lapierre tape
Seatpost	Lapierre Aero TT carbon
Accessories	Thru axle multitool lever

LAPIERRE

LAPIERRE

MTB

MY24 RANGE

LAPIERRE

Spicy CF

RANGE

Enduro mountain bikes developed
in collaboration with the sport's best riders.



The Spicy CF, more than just an Enduro bike:


- Bike of the Lapierre Zipp Collective team
- Two-in-one: high pivot and low pivot configuration
- Aggressive and ultra-stable at high speeds

Geometry

SPICY CF

HIGH PIVOT | 29

Travel
173mm




Size	XS	S	M	L	XL
ST (mm)	370	370	400	430	460
Horizontal TT (mm)	543,5	570,4	596,4	617,3	644,2
HA (°)	63,5	63,5	63,5	63,5	63,5
Virtual SA (°)	78	78	78	78	78
RC (mm)	444	444	444	449	454
HT (mm)	100	110	115	120	130
Rear BB Drop (mm)	-25	-25	-25	-25	-25
Front BB Drop (mm)	-25	-25	-25	-25	-25
Fork Travel (mm)	180	180	180	180	180
Fork Length (mm)	595	595	595	595	595
Fork Offset (mm)	44	44	44	44	44
Rear Travel (mm)	172	172	172	172	172
Calculated Stack (mm)	627	636	641	645	654
Calculated Reach (mm)	410	435	460	480	505
Calculated WB (mm)	1203	1232	1260	1287	1321
Calculated Average BB Drop (mm)	-25	-25	-25	-25	-25
Calculated DT (mm) $\sqrt{(Reach^2 + Stack^2)}$	750	771	789	804	827
Front wheel diameter (mm)	720	720	720	720	720
Rear wheel diameter (mm)	720	720	720	720	720
BB height (mm)	335	335	335	335	335
Trail (Chasse)	186	186	186	186	186
User	152-164	163-172	170-182	180-190	>188
Ref.	LS_A350	LS_A370	LS_A400	LS_A430	LS_A460

Spicy CF Team

TRANSLUCENT HEX BLUE

Ref. LSDTA




Frame	Carbon UD SLI
Fork	RockShox ZEB Ultimate Charger 3.1 RC2 15x110 29"180mm travel 44mm offset
Shock	RockShox Vivid Air Ultimate 205x65mm Trunnion/15x8mm
Rear derailleur	SRAM X0 EAGLE AXS T-TYPE 12s
Crankset	SRAM X0 EAGLE T-TYPE DUB 32T 165mm (XS,S,M), 170mm (L,XL)
Bottom bracket	SRAM DUB BSA 73 MTB WIDE
Sprocket	SRAM XS 1295 T-TYPE 10-52T 12s
Chain	SRAM X0 T-TYPE 12s
Brakes	SRAM Maven Silver Stealth 4 pistons
Rotors	SRAM HS2 200mm 6 bolts
Shiftlevers	SRAM AXS Pod 12s
Headset	Acros Integrated ZS56/ZS56 Block Lock
Handlebar	Renthal Fatbar 35, Width: 800mm, Rise: 30mm, Ø: 35mm
Grips	Lapierre grips, XS/S/M: small diameter, L/XL: large diameter
Stem	Renthal Apex, Ø: 35mm, L: 33mm (XS,S), 40mm (M,L,XL)
Seatpost	SRAM Reverb AXS, Ø: 31.6mm, travel 125mm (XS,S), 150mm (M), 170mm (L,XL)
Saddle	WTB Volt Cromoly 142mm
Wheelset	DT Swiss EXC1501 Spline
Tires	Front : Schwalbe Magic Mary Evo, Super Trail TLE 62-622 ADDIX Ultra Soft 67EPI Rear : Schwalbe Big Betty Evo, Super Trail 65-584 ADDIX Soft
Pedals	XLC by VP
Accessories	Lapierre Thru axle and bottle opener lever + Tool Box with pouch + Accessory Box for Low Pivot Point configuration

LAPIERRE

Spicy CF 6.9

AVENTURINE BLUE

Ref. LSBRA



Frame	Spicy Full Carbon 180mm travel (29"), pressfit, boost, metric, Thru axle
Fork	RockShox ZEB Select Charger RC 29" 15x110 DebonAir™ 180mm (29") 44mm offset
Shock	RockShox Super Deluxe coil Select R Trunnion 205x65mm spring rate: 300(S) 350(M) 400(L) 450(XL)
Rear derailleur	Shimano SLX 12s Shadow +
Crankset	Shimano MT612 32T 165mm (XS,S,M), 170mm (L,XL)
Bottom bracket	Shimano BSA MT801
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano M4100 4 pistons
Rotors	Shimano RT64 203mm
Shiftlevers	Shimano Deore 12s Rapidfire
Headset	Acros Integrated ZS56/ZS56 Block Lock
Handlebar	Lapierre Thirty Five 6061DB, Width: 800mm, Rise: 30mm, Ø: 35mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre Thirty Five alloy, 0°, Ø: 31.8mm, L: 35mm (XS,S), 45mm (M,L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm (XS,S), 130mm (M), 150mm (L), 170mm (XL)
Saddle	WTB Volt 142mm
Front hub	Shimano TC500
Rear hub	Shimano TC500 Microspline
Wheelset	Rodi Tryp30 EVO 30x622 32H Tubeless Ready
Tires	Front: Schwalbe MAGIC MARY Evo, Super Trail, TLE, ADDIX Ultra Soft, 62-622, 67TPI Rear: Schwalbe BIG BETTY, Super Trail, TLE, ADDIX Soft, 62-584, 67TPI
Pedals	NW-91K
Accessories	Lapierre Thru axle and bottle opener lever Accessory Box for Low Pivot Point configuration

LAPIERRE

XRM

RANGE

The ability to perform at the highest levels of competition.




The XRM, more than just an endurance MTB:

- A kinematics designed for long-distance
- Carbon frame and travel made for maximum comfort
- Responsive 29-inch wheels

Geometry

XRM

Travel
110mm




Size	S	M	L	XL
ST (MM)	390	430	470	510
TT (MM)	575	602	624	651
HA (°)	66	66	66	66
SA (°)	74.5	74.5	74.5	74.5
RC (MM)	435	435	435	435
HT (MM)	85	90	100	110
BB (MM)	-40	-40	-40	-40
FRK TRAVEL	120	120	120	120
FRK LENGTH	531	531	531	531
FRK OFFSET	44	44	44	44
STACK	584	589	598	608
REACH	415	440	460	485
WB	1134	1162	1185	1214
User	150-170	168-178	176-186	>184
Ref.	LR__390	LR__430	LR__470	LR__510

LAPIERRE

XRM 6.9

OCHER

Ref. LRERA



Non-binding illustration

Frame	XR full Carbon 110mm travel 29", pressfit, boost, metric, Thru axle
Fork	Fox 34 Float SC Performance 29" 15x110, 120mm travel, Grip, Push-Lock, 44mm offset + FOX 2-pos Remote
Shock	Fox Float Performance Elite, 2-Pos Remote, LV Evol, 210x55mm
Rear derailleur	Shimano Deore XT 12s Shadow +
Crankset	Shimano MT612 32T 170mm (S), 175mm (M, L, XL)
Bottom bracket	SRAM DUB PF 92 MTB Wide
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano M4100 2 pistons
Rotors	Shimano MT64 180mm/160mm Centerlock
Shiftlevers	Shimano SLX 12s Rapidfire
Headset	FSA Integrated 1.5ZS IS-2 /42/ACB hidden set
Handlebar	Lapierre Thirty One 6061DB, Width: 760mm, Rise: 15mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre AL6061 alloy, -6°, Ø: 31.8mm, L: 60mm (S,M), 70mm (L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm (S,M), 130mm (L,XL)
Saddle	Fizik Argo Vento X 140mm
Front hub	Shimano TC500, boost 15x110, 32H Centerlock
Rear hub	Shimano TC500, boost 12x148, 32H Centerlock, Microspline
Rims	Mavic XC 425 DISC 25x622, 32H Black Anod.
Tires	Front : Maxxis Ardent Race EXO TR 29x2.35 60 TPI Rear : Maxxis Rekon Race EXO TR 29x2.35 60 TPI"
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever + Tubeless valves

LAPIERRE

XRM 6.9

BUTTERCUP

Ref. LRERB



Non-binding illustration


Frame	XR full Carbon 110mm travel 29", pressfit, boost, metric, Thru axle
Fork	Fox 34 Float SC Performance 29" 15x110, 120mm travel, Grip, Push-Lock, 44mm offset + FOX 2-pos Remote
Shock	Fox Float Performance Elite, 2-Pos Remote, LV Evol, 210x55mm
Rear derailleur	Shimano Deore XT 12s Shadow +
Crankset	Shimano MT612 32T 170mm (S), 175mm (M, L, XL)
Bottom bracket	SRAM DUB PF 92 MTB Wide
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano M4100 2 pistons
Rotors	Shimano MT64 180mm/160mm Centerlock
Shiftlevers	Shimano SLX 12s Rapidfire
Headset	FSA Integrated 1.5ZS IS-2 /42/ACB hidden set
Handlebar	Lapierre Thirty One 6061DB, Width: 760mm, Rise: 15mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre AL6061 alloy, -6°, Ø: 31.8mm, L: 60mm (S,M), 70mm (L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm (S,M), 130mm (L,XL)
Saddle	Fizik Argo Vento X 140mm
Front hub	Shimano TC500, boost 15x110, 32H Centerlock
Rear hub	Shimano TC500, boost 12x148, 32H Centerlock, Microspline
Rims	Mavic XC 425 DISC 25x622, 32H Black Anod.
Tires	Front : Maxxis Ardent Race EXO TR 29x2.35 60 TPI Rear : Maxxis Rekon Race EXO TR 29x2.35 60 TPI"
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever + Tubeless valves

LAPIERRE

XRM 7.9

OLIVE GREEN

Ref. LRBRA



Non-binding illustration

Frame	XR full Carbon 110mm travel 29", pressfit, boost, metric, Thru axle
Fork	Fox 34 Float SC Performance 29" 15x110, 120mm travel, Grip, Push-Lock, 44mm offset + FOX 2-pos Remote
Shock	Fox Float Performance Elite, 2-Pos Remote, LV Evol, 210x55mm
Rear derailleur	SRAM X01 Eagle, 12s
Crankset	SRAM GX Eagle Boost DUB Lunar 32T 170mm (S) , 175mm (M, L, XL)
Bottom bracket	SRAM DUB PF 92 MTB Wide
Sprocket	SRAM XG 1275 10-52T 12s
Chain	SRAM NX Eagle 12s
Brakes	SRAM LEVEL TL Gloss Black 2 pistons
Rotors	SRAM Centerline 180mm/160mm 6 bolts
Shiftlevers	SRAM GX Eagle Lunar 12s
Headset	FSA Integrated 1.5ZS IS-2 /42/ACB hidden set
Handlebar	Lapierre Thirty One 6061DB, Width: 760mm, Rise: 15mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre AL6061 alloy, -6°, Ø: 31.8mm, L: 60mm (S,M), 70mm (L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm (S,M), 130mm (L,XL)
Saddle	Fizik Argo Vento X 140mm
Wheelset	DT Swiss EX1900 SPLINE® 622x25c, SRAM XD Driver, 6-bolt
Tires	Front : Maxxis Ardent Race EXO TR 29x2.35 60 TPI Rear : Maxxis Rekon Race EXO TR 29x2.35 60 TPI
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever + Tubeless valves

LAPIERRE

XRM 7.9

CHERRY RED

Ref. LRB RB



Non-binding illustration

Frame	XR full Carbon 110mm travel 29", pressfit, boost, metric, Thru axle
Fork	Fox 34 Float SC Performance 29" 15x110, 120mm travel, Grip, Push-Lock, 44mm offset + FOX 2-pos Remote
Shock	Fox Float Performance Elite, 2-Pos Remote, LV Evol, 210x55mm
Rear derailleur	SRAM X01 Eagle, 12s
Crankset	SRAM GX Eagle Boost DUB Lunar 32T 170mm (S) , 175mm (M, L, XL)
Bottom bracket	SRAM DUB PF 92 MTB Wide
Sprocket	SRAM XG 1275 10-52T 12s
Chain	SRAM NX Eagle 12s
Brakes	SRAM LEVEL TL Gloss Black 2 pistons
Rotors	SRAM Centerline 180mm/160mm 6 bolts
Shiftlevers	SRAM GX Eagle Lunar 12s
Headset	FSA Integrated 1.5ZS IS-2 /42/ACB hidden set
Handlebar	Lapierre Thirty One 6061DB, Width: 760mm, Rise: 15mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre AL6061 alloy, -6°, Ø: 31.8mm, L: 60mm (S,M), 70mm (L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm (S,M), 130mm (L,XL)
Saddle	Fizik Argo Vento X 140mm
Wheelset	DT Swiss EX1900 SPLINE® 622x25c, SRAM XD Driver, 6-bolt
Tires	Front : Maxxis Ardent Race EXO TR 29x2.35 60 TPI Rear : Maxxis Rekon Race EXO TR 29x2.35 60 TPI
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever + Tubeless valves

LAPIERRE

XR

RANGE

Aimed at riders engaged
in the quest for victory




The XR, more than just a competition XC bike:

- Full suspension Carbon frame made for victory
- Components tailored to your power
- 29-inch wheels to overcome obstacles

Geometry

XR

Travel
100mm




Size	S	M	L	XL
ST (MM)	390	430	470	510
TT (MM)	575	602	624	651
HA (°)	67	67	67	67
SA (°)	75.5	75.5	75.5	75.5
RC (MM)	435	435	435	435
HT (MM)	85	90	100	110
BB (MM)	-48	-48	-48	-48
FRK TRAVEL	100	100	100	100
FRK LENGTH	506	506	506	506
FRK OFFSET	44	44	44	44
STACK	575	580	589	598
REACH	425	450	470	495
WB	1133	1161	1184	1213
User	150-170	168-178	176-186	>184
Ref.	LR__390	LR__430	LR__470	LR__510

LAPIERRE

XR 9.9

GLAM BLUE

Ref. LRCRA




Non-swinging front forks.

XR 5.9

FIR GREEN

Ref. LRARA



Non-swinging front forks.

Frame	XR full Carbon 100mm travel 29", pressfit, boost, metric, Thru axle
Fork	Rock Shox SID SL Ultimate Race Day Remote 3 Pos - 100mm 29" 44mm offset + SRAM Twistloc Ultimate 3-pc
Shock	Rock Shox SID LUXE ULTIMATE REMOTE OUT PULL 2 Pos 210X50mm
Rear derailleur	SRAM XX1 Eagle, 12s
Crankset	SRAM X1C Eagle Boost DUB 34T 170mm (S) , 175mm (M, L, XL)
Bottom bracket	SRAM DUB PF 92 MTB Wide
Sprocket	SRAM XG 1295 10-52T 12s
Chain	SRAM XX1 Eagle Rainbow 12s
Brakes	SRAM LEVEL Silver Stealth 2 pistons
Rotors	SRAM CLX 180mm/160mm Centerlock
Shiftlevers	SRAM XO1 Eagle 12s
Headset	FSA Integrated 1.5ZS IS-2 /42/ACB hidden set
Handlebar	RACE FACE NEXT SL, Width: 740mm, Rise: 10mm, Ø: 35mm
Stem	RACE FACE TURBINE R, Ø: 35mm, L: 60mm (S,M), 70mm (L,XL)
Seatpost	Lapierre Carbon, Ø: 31.6mm, L: 400mm, 0mm offset
Saddle	Fizik Argo Vento X 140mm
Wheelset	Lapierre XC SL carbon 29" Boost XD driver, Centerlock
Tires	Maxxis Rekon Race 3C MaxxTerra EXO TR 29x2.35 120 TPI
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever + Tubeless valves

Frame	XR full Carbon 100mm travel 29", pressfit, boost, metric, Thru axle
Fork	Fox 32 Float SC Performance 29" 15x110, 100mm travel, Grip, Push-Lock, 44mm offset + FOX 2-pos Remote
Shock	Fox Float Performance Elite, 2-Pos Remote, LV Evol, 210x50mm
Rear derailleur	Shimano Deore XT 12s Shadow +
Crankset	Shimano Deore MT512 32T 170mm (S), 175mm (M, L, XL)
Bottom bracket	Shimano MT800 Press Fit
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano MT401 2 pistons
Rotors	Shimano SMRT64 180mm/160mm Centerlock
Shiftlevers	Shimano Deore 12s Rapidfire
Headset	FSA Integrated IS-2 /42/ACB 1-1/8"-1.5"
Handlebar	Lapierre alloy 6061 Top flat, Width: 740mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre AL6061 alloy, -6°, Ø: 31.8mm, L: 60mm (S,M), 70mm (L,XL)
Seatpost	Lapierre alloy, Ø: 31.6mm, L: 400mm
Saddle	Fizik Argo Vento X 140mm
Front hub	Shimano TC500
Rear hub	Shimano TC500 Microspline
Rims	Mavic XC 425 DISC 29" BLACK 32T
Tires	Maxxis Rekon Race EXO TR 29x2.35 60 TPI
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever + Tubeless valves

LAPIERRE

LAPIERRE

Prorace


RANGE

A true companion to push the limits.
With the Prorace, wake up
the competitor within you.



Geometry

PRORACE



Size	S	M	L	XL
ST (MM)	350	400	440	480
TT (MM)	550	575	600	625
HA (°)	69	69.5	69.5	69.5
SA (°)	73	73	73	73
RC (MM)	428	428	428	428
HT (MM)	90	90	90	105
BB (MM)	-65	-65	-60	-60
REACH	371	390	416	437
STACK	584	605	600	614
User	150-163	160-170	168-178	176-186
Ref.	LP_RA390	LP_RA430	LP_RA470	LP_RA510


The Prorace, more than just an XC:

- Fluid and sleek semi-rigid design
- The market reference for aluminum XC MTB
- A game-changer for starting competition

Prorace 5.9

CHARCOAL

Ref. LPERA



Frame	Prorace 29" Supreme 5 alloy Disc, boost, pressfit, Thru axle 12x148mm, internal brake RR
Fork	RockShox Judy Gold RL Remote 29" 15x110 100mm 51mm offset
Rear derailleur	Shimano Deore XT 12s Shadow +
Crankset	Shimano Deore 32T 170mm (S), 175mm (M, L, XL)
Bottom bracket	Shimano Press Fit MT800 MTB 92
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano MT501 2 pistons
Rotors	Shimano SMRT64 180mm/160mm Centerlock
Shiftlevers	Shimano Deore 12s Rapidfire
Headset	FSA Orbit Zero stack
Handlebar	Lapierre alloy 6061 Top flat, Width: 720mm, Ø: 31.8mm
Grips	Lapierre by Herrmans
Stem	Lapierre 7050 alloy, 7°, Ø: 31.8mm, L: 60mm (XS,S), 70mm (M,L), 80mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 400mm
Saddle	Lapierre XC Saddle
Front hub	Shimano TC500, boost 15x110, 32H Centerlock
Rear hub	Shimano TC500, boost 12x148, 32H Centerlock, Microspline
Rims	Rodi Tryp25 25x622, 32H Black Anod.
Tires	Maxxis Rekon Race EXO TR 29x2.35 120 TPI
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever

LAPIERRE

Model Shown
Prorace 5.9




LAPIERRE

Prorace 4.9

SAND

Ref. LPDRA



Non-binding illustrations

Frame	Prorace 29" Supreme 5 alloy Disc, boost, pressfit, Thru axle 12x148mm, internal brake RR
Fork	RockShox Judy Gold RL Remote 29" 15x110 100mm 51mm offset
Rear derailleur	SRAM NX Eagle, 12s
Crankset	SRAM SX Eagle DUB 32T 170mm (S) , 175mm (M, L, XL)
Bottom bracket	SRAM DUB Press Fit 92
Sprocket	SRAM PG1210 Eagle 11-50T 12s
Chain	SRAM SX Eagle 12s
Brakes	Shimano MT401 2 pistons
Rotors	Shimano SMRT30 180mm/160mm Centerlock
Shiftlevers	SRAM NX Eagle 12s
Headset	FSA Orbit Zero stack
Handlebar	Lapierre alloy 6061 Top flat, Width: 720mm, Ø: 31.8mm
Grips	Lapierre by Herrmans
Stem	Lapierre 7050 alloy, 7°, Ø: 31.8mm, L: 60mm (XS,S), 70mm (M,L), 80mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 400mm
Saddle	Lapierre XC Saddle
Front hub	Shimano TC500, boost 15x110, 32H Centerlock
Rear hub	Shimano TC500, boost 12x148, 32H Centerlock, HG
Rims	Rodi Tryp25 25x622, 32H Black Anod.
Tires	Maxxis Rekon Race EXO TR 29x2.35 120 TPI
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever

LAPIERRE

Prorace 3.9

WATER BLUE

Ref. LPCRA



Non-binding illustrations

Frame	Prorace 29" Supreme 5 alloy Disc, boost, pressfit, Thru axle 12x148mm, internal brake RR
Fork	Suntour Raidon 32 RLR DS 15x110 100mm 29"
Rear derailleur	Shimano Deore M6100 12s Shadow+
Crankset	Shimano MT512 32T 170mm (S) , 175mm (M,L,XL)
Bottom bracket	Shimano Press Fit MT800 MTB 92
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano MT401 2 pistons
Rotors	Shimano SMRT30 180mm/160mm Centerlock
Shiftlevers	Shimano Deore 12s Rapidfire
Headset	FSA Orbit Zero stack
Handlebar	Lapierre alloy 6061 Top flat, Width: 720mm, Ø: 31.8mm
Grips	Lapierre by Herrmans
Stem	Lapierre 7050 alloy, 7°, Ø: 31.8mm, L: 60mm (XS,S), 70mm (M,L), 80mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 400mm
Saddle	Lapierre XC Saddle
Front hub	Shimano TC500, boost 15x110, 32H Centerlock
Rear hub	Shimano TC500, boost 12x148, 32H Centerlock, Microspline
Rims	Rodi Tryp25 25x622, 32H Black Anod.
Tires	Maxxis Rekon Race 29x2.25 60 TPI
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever

LAPIERRE