





Bianchi

BIANCHI 是历史最悠久、最负盛名的自行车品牌。我们的传统有 130 多年历史，始于 1885 年米兰，创始人是 EDOARDO BIANCHI，在自行车界无人能及。我们的定位体现了意大利能为世界提供的最好的东西：致力于以工匠精神打造产品——“A REGOLA D'ARTE”，即独特的设计、风格和品味。

我们的产品范围广泛，可满足专业和休闲骑行者、热爱大自然的人或只想在城市交通中快速移动的人的需求。我们为每种类型的骑行者提供理想的自行车。

爱德华多·比安奇 (EDOARDO BIANCHI) 曾说过，测试产品的最佳方式就是参加比赛。这就是 REPARTO CORSE 或赛车部门诞生的初衷。从赛车手极度疲劳的状态中，你总能学到一些东西。比安奇一直能够充分利用这些感觉和反馈来彻底改进和测试每辆自行车。就像在赛车运动中一样，我们一直有一个专门的部门跟踪车手，帮助他们在比赛中不断进步。创新、科学与技术与人类的感觉相结合。100 多年来，这种奉献精神让我们的冠军不断获胜，也让比安奇不断取得卓越成就，这并不是什么秘密。

OLTRE RC | OLTRE PRO | OLTRE COMP



Oltre RC / Oltre PRO / Oltre COMP													
SIZE	A	B1	C	D	E	F	G	G1	H	I	X	Y	WB
470	450	515	410	58	83	579	74.5°	70.5°	43	368	385	470	982
500	480	525	410	58	88	581	74.5°	71.5°	43	368	392	478	983
530	510	536	410	68	103	582	74°	72°	43	368	393	504	984
550	530	550	410	68	118	588	73.5°	72.5°	43	368	397	520	988
570	550	560	412	68	133	593	73.5°	73°	43	368	402	536	996
590	570	575	412	68	153	603	73°	73°	43	368	406	555	1005

OLTRE COMP | 105 Di2 12SP | YTB26

¥ 36999.00




DRAFT-NOT FINAL COMPONENTS-DRAFT-NOT FINAL COMPONENTS-DRAFT-NOT FINAL COMPONENTS-DRAFT-NOT FINAL COMPONENTS-

The image shown is indicative only. Components and graphic detail may differ from actual model. Bianchi reserves the right to amend specifications and/or prices.

COLOR	ZN - Metallic Celeste/Black - full glossy ZP - Blue-Grey/Off White- full matt	BRAKE LEVER	included
FRAME	Oltre Comp, carbon, disc brakes, electronic and mechanical shifting compatible, internal cable routing 1.5-1.5 headset, BB-PressFit 86,5x41, flat mount brakes, thru axle 12x142mm sizes 47-50-53-55-57-59cm	DISC ROTOR	Shimano RT70 rotor for disc brake center lock, 160mm front and rear
SEATPOST CLAMP	included in the frame	RIM/WHEELSET	Velomann Plutonium , 50mm profile, 700x21c, 24h, HG body
HEADSET	Fsa TH-073E ACB 1.5 51.8x40x8	TIRE	Vittoria Rubino V 28-622 TLR full black G2.0, graphene + silica, 100TPI,
FORK	Full Carbon aero, disc brakes, integrated head 1,5, thru axle 12x100mm, compatible with 700x30 tire	STEM	Velomann Aero stem, material alloy, Oversize, 1.1/8, size: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm
SHIFTER	Shimano 105 Di2 hydraulic disc brake for road, ST-R7170, BR-R7170, for 160mm rotor	HANDLEBAR	Velomann Aero Compact handlebar, alloy diam. 31,8mm, reach 74mm, drop 116mm, for fully internal cable routing Size: 400mm-47-53cm, 420mm-55-59cm
REAR DERAILLEUR	Shimano, 105 Di2 RD-R7150, 12-speed	GRIP / TAPE	Bianchi Arrow premium tape, 2.5mm thickness, black
FRONT DERAILLEUR	Shimano 105 Di2, FD-R7150 12-speed	SEATPOST	Oltre Full Carbon Aero special dimension seatpost, 20mm offset, length: 280mm-47cm, 300mm50/55cm, 350mm-57/59cm
CRANKSET	Shimano 105 12sp, FC-R7100, Ultegra hollowtech 2, for rear 12- speed, 50x34T, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm	SADDLE	Velomann Mitoro139, open flow, AISI rails 7x7mm, carbon-reinforced nylon, Wide: 139mm, Length: 250mm
BOTTOM BRACKET	Shimano, SM-BB72-41B, press fit for road, bearing, inner cover		
CHAIN	Shimano, 105 12sp, CN-M7100		
CASSETTE / FREEWHEEL	Shimano, 105 12sp, CS-R7100, 11-12-13-14-15-17-19-21-24-27-30-34T		
BRAKE	Shimano BR-R8170 Hydraulic disc brake, included in the shifter		

OLTRE RACE



Oltre Race													
SIZE	A	B	C	D	E	F	G	G1	H	I	X	Y	WB
440	420	505	410	58	95	575	75°	70.5°	43	368	376	481	977
470	440	515	410	58	105	581	74.5°	70.5°	43	368	379	490	982
500	470	525	410	58	110	582	74.5°	71.5°	43	368	387	499	983
530	500	535	410	68	125	583	74°	72°	43	368	385	525	984
550	520	550	410	68	140	588	73.5°	72.5°	43	368	390	541	988
570	540	560	410	68	155	593	73.5°	73°	43	368	395	557	994
590	560	575	412	68	175	603	73°	73°	43	368	397	576	1006
610	580	585	414	68	195	607	72.5°	73°	43	368	398	595	1012

NEW

OLTRE RACE | 105 DI2 12SP | YTB37

¥ 29998.00



The image shown is indicative only. Components and graphic detail may differ from actual model. Bianchi reserves the right to amend specifications and/or prices.

COLOR	ZK-CK16/Metallic Celeste- full glossy ZL- Grey/Black- full matt	BRAKE	Shimano BR-R7170 Hydraulic disc brake, included in the shifter
FRAME	Oltre Race aero carbon, compatible with mechanical/electronic transmissions, compatible with internal cable routing, BB-PressFit 86,5x41, integrated seat clamp, disc brake flat mount, thru axle 12x142 sizes 44-47-50-53-55-57-59-61cm	BRAKE LEVER	included
SEATPOST CLAMP	included in the frame	DISC ROTOR	Shimano rotor for disc brake center lock, 160mm
HEADSET	ACROS & FSA, for internal cable routing	RIM/WHEELSET	Velomann V30R, alloy, 23mm channel, 30mm profile. 2 to 1 spoke pattern, j-bend spokes, black, HG11 boby, weight : 1790g
FORK	Full Carbon Aero Road, integrated head , disc brake flat mount, thru axle 12x100	TIRE	Vittoria Rubino V 28-622 TLR full black G2.0, graphene + silica, 100TPI,
SHIFTER	Shimano 105 Di2 hydraulic disc brake for road, ST-R7170, BR-R7170, for 160mm rotor	STEM	Velomann, Alloy 6061, raise - 7° Ext: 80mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59/61cm
REAR DERAILLEUR	Shimano, RD-R7150, 105 Di2 12-speed	HANDLEBAR	Velomann Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
FRONT DERAILLEUR	Shimano 105 Di2 12sp, FD-R7150	GRIP / TAPE	Bianchi Hexagon tape, 2.5mm thickness, black
CRANKSET	Shimano 105 12sp, FC-R7100, hollowtech 2, for rear 12- speed, 50x34T Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175-61cm	SEATPOST	Velomann Full Carbon Aeroshape, special Clamp type with alloy head adjustable and reversible +/- 35mm; length: 250mm-44, 300mm-47/50cm, 350mm-53/61cm
BOTTOM BRACKET	Token Ninja Lite BB4124PS, for 24mm spindle, threaded design	SADDLE	Velomann Mitora 139.1. open flow, steel rails 7x7mm, carbon-reinforced nylon, Wide: 139mm, Length: 250mm
CHAIN	Shimano, 105 12sp, CN-M7100		
CASSETTE / FREEWHEEL	Shimano, 105 12sp, CS-R7100, 11-12-13-14-15-17-19-21-24-27-30-34T		

NEW


OLTRE RACE | 105 12SP | YTB8D

¥ 22998.00



The image shown is indicative only. Components and graphic detail may differ from actual model. Bianchi reserves the right to amend specifications and/or prices.

COLOR	ZK- CK16/Metallic Celeste- full glossy ZL- Grey/Black- full matt	DISC ROTOR	Shimano rotor for disc brake center lock, 160mm
FRAME	Oltre Race aero carbon, compatible with mechanical/electronic transmissions, compatible with internal cable routing, BB-PressFit 86,5x41, integrated seat clamp, disc brake flat mount, thru axle 12x142 sizes 44-47-50-53-55-57-59-61cm	RIM/WHEELSET	Velomann V30R, alloy, 23mm channel, 30mm profile, 2 to 1 spoke pattern, j-bend spokes, black, HG11 baby, weight : 1790g
SEATPOST CLAMP	included in the frame	TIRE	Vittoria Rubino V 28-622 TLR full black G2.0, grophene + silica, 100TPI,
HEADSET	ACROS & FSA, for internal cable routing	STEM	Velomann, Alloy 6061, raise - 7° Ext: 80mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59/61cm
FORK	Full Carbon Aero Road, integrated head , disc brake flat mount, thru axle 12x100	HANDLEBAR	Velomann Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
SHIFTER	Shimano 105 hydraulic disc brake for road, ST-R7120, BR-R7170, for 160mm rotor	GRIP / TAPE	Bianchi Hexagon tape, 2,5mm thickness, black
REAR DERAILLEUR	Shimano 105 12sp, RD-R7100	SEATPOST	Velomann Full Carbon Aeroshape, special Clamp type with alloy head adjustable and reversible +/- 35mm; length: 250mm-44, 300mm-47/50cm, 350mm-53/61cm
FRONT DERAILLEUR	Shimano 105 12sp, FD-R7100	SADDLE	Velomann Mitora 139.1, open flow, steel rails 7x7mm, carbon-reinforced nylon, Wide: 139mm, Length: 250mm
CRANKSET	Shimano 105 hollowtech 2, 50x34T Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175-61cm		
BOTTOM BRACKET	Token Ninja Lite BB4124PS, for 24mm spindle, threaded design		
CHAIN	Shimano CN-M6100, 12sp		
CASSETTE / FREEWHEEL	Shimano, 105 12sp, CS-R7100, 11-12-13-14-15-17-19-21-24-27-30-34T		
BRAKE	Shimano Hydraulic disc brake, included in the shifter		
BRAKE LEVER	included		




OLTRE RC | FRAMESET | XTB05

¥ 41300.00



The image shown is indicative only. Components and graphic detail may differ from actual model. Bianchi reserves the right to amend specifications and/or prices.

COLOR	ZE - Metallic Celeste/CK16 - full glossy ZW - Carbon UD/Metallic Celeste - full matt
FRAME	Oltre RC carbon aero shape, electronic drivetrain only, headset 1.1/4-1.1/4, BB-PressFit 86,5x41mm, integrated seat clamp, for flat mount caliper, internal cable routing for brakes, thru axle 12x142mm, compatible with 700x30 tire sizes 47-50-53-55-57-59cm
SEATPOST CLAMP	Included in the frame
HEADSET	Fsa No. 54 - MR137 - ACB 1-1/4 diam.46.9 x diam.37x7 Fsa TH970R - MR082R - SL Alloy ACB 1-1/4 diam.46.8 x diam.34x7
FORK	Full Carbon aero, brakes, integrated head 1.1/4, flat mount caliper, thru axle 12x100mm, compatible with 700x30 tire



*Frame price does not include cockpit.

Oltre RC/PRO Integrated Handlebar											
Size	Width (W)	Length (L)	Reach (R)	Drop (D)	Stem/HB reach (SR)	Outward bend (OB)	X	Y	A	B	
90x400	400	90	80,9	128,3	165,7	2"	72	71,5	143,6	164,5	
90x420	420	90	80,9	128,3	165,7	2"	72	71,5	143,6	164,5	
90x440	440	90	80,9	128,3	165,7	2"	72	71,5	143,6	164,5	
100x400	400	100	79	129,7	173,6	2"	79,6	80,1	143,6	170,5	
100x420	420	100	79	129,7	173,6	2"	79,6	80,1	143,6	170,5	
100x440	440	100	79	129,7	173,6	2"	79,6	80,1	143,6	170,5	
110x400	400	110	79	129,7	183,6	2"	90,1	80,1	143,6	181	
110x420	420	110	79	129,7	183,6	2"	90,1	80,1	143,6	181	
110x440	440	110	79	129,7	183,6	2"	90,1	80,1	143,6	181	
120x400	400	120	79	129,7	193,6	2"	100,6	80,1	143,6	191,4	
120x420	420	120	79	129,7	193,6	2"	100,6	80,1	143,6	191,4	
120x440	440	120	79	129,7	193,6	2"	100,6	80,1	143,6	191,4	
130x400	400	130	79	129,7	203,6	2"	111,1	80,1	143,6	202,1	
130x420	420	130	79	129,7	203,6	2"	111,1	80,1	143,6	202,1	
130x440	440	130	79	129,7	203,6	2"	111,1	80,1	143,6	202,1	
140x400	400	140	79	129,7	213,6	2"	117,8	92	143,6	208,7	
140x420	420	140	79	129,7	213,6	2"	117,8	92	143,6	208,7	
140x440	440	140	79	129,7	213,6	2"	117,8	92	143,6	208,7	

OLTRE PRO | FRAMESET | XTB061


¥ 31000.00



The image shown is indicative only. Components and graphic detail may differ from actual model. Bianchi reserves the right to amend specifications and/or prices.

COLOR	ZE - Metallic Celeste/CK16 - full glossy ZW - Carbon UD/Metallic Celeste - full matt
FRAME	Oltre PRO carbon w/Bianchi System aero shape, electronic drivetrain only, headset 1.1/4-1.1/4, BB-PressFit 86,5x41mm, integrated seat clamp, for flat mount caliper, internal cable routing for brakes, thru axle 12x142mm, compatible with 700x30 tire sizes 47-50-53-55-57-59cm
SEATPOST CLAMP	Included in the frame
HEADSET	Fsa No. 54 - MR137 - ACB 1-1/4 diam.46.9 x diam.37x7 Fsa TH970R - MR082R - SL Alloy ACB 1-1/4 diam.46.8 x diam.34x7
FORK	Full Carbon aero w/Bianchi System, brakes, integrated head 1.1/4, flat mount caliper, thru axle 12x100mm, compatible with 700x30 tire

SPECIALISSIMA RC | SPECIALISSIMA PRO | SPECIALISSIMA COMP



Specialissima RC / Specialissima PRO / Specialissima COMP													
SIZE	A	B1	C	D	E	F	G	G1	H	I	X	Y	WB
470	420	514	410	58	100	579	74.5°	70.5°	43	368	379	486	982
500	450	524	410	58	105	581	74.5°	71.5°	43	368	387	494	983
530	480	535	410	68	120	582	74°	72°	43	368	386	520	984
550	500	550	410	68	135	588	73.5°	72.5°	43	368	391	536	988
570	520	560	412	68	150	593	73.5°	73°	43	368	397	552	996
590	540	575	412	68	170	603	73°	73°	43	368	400	571	1005

NEW

SPECIALISSIMA COMP | 105DI2 12S P | YTB47

¥ 36999.00



The image shown is indicative only. Components and graphic detail may differ from actual model. Bianchi reserves the right to amend specifications and/or prices.

COLOR	MQ - CK16/Graphite MF - Graphite/Black	BRAKE LEVER	included
FRAME	Specialissima COMP carbon, only electronic groupsets, fully internal cable routing, headset Acros ICR, direct mount brakes, BB-PressFit 86.5x41 sizes 47-50-53-55-57-59cm	DISC ROTOR	Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm
HEADSET	Acros IS52 ICR: custom headtube cover Specialissima	RIM/WHEELSET	Velomann PALLADIUM, 33mm profile, 700x21c, 24h, HG11
FORK	Specialissima COMP full Carbon, aero, integrated head, disc, 1.5 head, 12x100mm thru axle	TIRE	Vittoria Rubino V 28-622 TLR full black G2.0, graphene + silica, 100TPI,
SHIFTER	Shimano 105 Di2 hydraulic disc brake for road, ST-R7170, BR-R7170, for 160mm rotor, resin pad	STEM	Velomann, AL6061, fully internal cable routing stem, compatible with Acros AICR system, Ext: 90mm (47), 100mm(50/53), 110mm(55/57), 120mm(59)
REAR DERAILLEUR	Shimano 105 Di2 12sp, RD-R7150	HANDLEBAR	Velomann Aero Compact handlebar, alloy diam. 31.8mm, reach 74mm, drop 116mm, Size: 400mm-47/53cm, 420mm-55/59cm
FRONT DERAILLEUR	Shimano, FD-R7150, 105 Di2, brazed-on type, down swing, top gear 50-52T, for rear 12-speed	GRIP / TAPE	Bianchi Arrow premium tape, 2.5mm thickness, black
CRANKSET	Shimano 105 12sp, FC-R7100, 12- speed, 50x34T, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm	SEATPOST	Specialissima Full Carbon Aero special dimension seatpost, 20mm offset, length: 280mm-47cm, 300mm-50/53cm, 350mm-55/59cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road	SADDLE	Velomann Mitoro139, open flow, AISI rails, carbon-reinforced nylon Large 139mm Lenght 250mm
CHAIN	Shimano 105 12sp CN-M7100		
CASSETTE / FREEWHEEL	Shimano, CS-R7100, 105, 12-SPEED,11-12-13-14-15-17-19-21-24-27-30-34T		
BRAKE	Shimano BR-R8170 Hydraulic disc brake included in the shifter		

SPEC ALUSSIMA_{RC}



NEW


SPECIALISSIMA RC | FRAMEKIT | XT807

¥ 37300.00



The image shown is indicative only. Components and graphic detail may differ from actual model. Bianchi reserves the right to amend specifications and/or prices.

COLOR	MR - Carbon/CK16 Metallic/CK16
FRAME	Specialissima RC carbon HM, only electronic groupsets, fully internal cable routing, headset Acros ICR, direct mount brakes, BB-PressFit 86,5x41 sizes 47-50-53-55-57-59cm
HEADSET	Acros ISS2 ICR SSbearings
FORK	Specialissima RC full Carbon HM aero, integrated head, disc, 1.5" head, 12x100mm thru axle
SEATPOST	Specialissima Full Carbon Aero special dimension seatpost, 20mm offset, length: 280mm-47cm, 300mm-50/53cm, 350mm-55/59cm



*Frame price does not include cockpit.

Specialissima RC/PRO Integrated Handlebar (C2306194)							
Size	Width (W)	Length (L)	Reach (R)	Drop (D)	Stem/HB reach (SR)	Outward bend (OB)	Angle (A)
90x380	380	90	72,6	124,8	167	2"	-7°
90x400	400	90	72,6	124,8	167	2"	-7°
90x420	420	90	72,6	124,8	167	2"	-7°
100x380	380	100	72,6	124,8	177	2"	-7°
100x400	400	100	72,6	124,8	177	2"	-7°
100x420	420	100	72,6	124,8	177	2"	-7°
110x380	380	110	72,6	124,8	187	2"	-7°
110x400	400	110	72,6	124,8	187	2"	-7°
110x420	420	110	72,6	124,8	187	2"	-7°
120x380	380	120	72,6	124,8	197	2"	-7°
120x400	400	120	72,6	124,8	197	2"	-7°
120x420	420	120	72,6	124,8	197	2"	-7°
120x440	440	120	72,6	124,8	197	2"	-7°
130x380	380	130	72,6	124,8	207	2"	-7°
130x400	400	130	72,6	124,8	207	2"	-7°
130x420	420	130	72,6	124,8	207	2"	-7°
130x440	440	130	72,6	124,8	207	2"	-7°

NEW

SPECIALISSIMA PRO | FRAMEKIT | XTB08

¥ 28300.00




The image shown is indicative only. Components and graphic detail may differ from actual model. Bianchi reserves the right to amend specifications and/or prices.

COLOR	MW - Carbon/CK16 Metallic/CK16 MV - Carbon/Graphite Irid./Black
FRAME	Specialissima PRO carbon HM with Bianchi CV, only electronic groupsets, fully internal cable routing, headset Acros ICR, direct mount brakes, BB-PressFit 86,5x41 sizes 47-50-53-55-57-59cm
HEADSET	Acros IS52 ICR
FORK	Specialissima PRO full Carbon HM with CV, aero, integrated head, disc, 1.5" head, 12x100mm thru axle
SEATPOST	Specialissima Full Carbon Aero special dimension seatpost, 20mm offset, length: 280mm-47cm, 300mm-50-53cm, 350mm-55-59cm

*Frame price does not include cockpit.

SPRINT



Sprint ICR													
SIZE	A	B	C	D	E	F	G	G1	H	I	X	Y	WB
470	420	515	410	60	105	580	74.5°	70.5°	43	373	377	497	982
500	450	525	410	60	110	582	74.5°	71.5°	43	373	383	505	983
530	480	535	410	68	125	583	74°	72°	43	373	384	529	984
550	500	550	413	68	140	588	73.5°	73°	43	373	388	545	991
570	520	560	413	68	155	593	73.5°	73°	43	373	393	561	996
590	540	575	413	68	175	603	73°	73°	43	373	396	580	1006
610	560	585	415	68	195	607	72.5°	73°	43	373	397	599	1012

NEW

SPRINT | 105 DI2 12SP | YTBR6

¥ 26998.00



The image shown is indicative only. Components and graphic detail may differ from actual model. Bianchi reserves the right to amend specifications and/or prices.

COLOR	SX - CK16 / Black - Full Glossy SZ - Light grey / Iridescent - Full Glossy	DISC ROTOR	Shimano rotor for disc brake center lock, SM-RT70, 160mm
FRAME	Sprint carbon monocoque, mechanical/electronic shifting compatible, BB-PressFit 86,5x41, head tube 12/4-1.5, integrated seat clamp, disc brake flat mount, thru axle 12x142 sizes 47-50-53-55-57-59-61cm	RIM/WHEELSET	Velomann V30R, alloy, 23mm channel, 30mm profile. 2 to 1 spoke pattern, J-bend spokes, black, HG11 body, weight : 1790g
SEATPOST CLAMP	included in the frame	TIRE	Vittoria Rubino V 28-622 TLR full black G2.0, graphene + silica, 100TPI,
HEADSET	ACROS & FSA, for internal cable routing	STEM	Velomann, Alloy 6061, raise - 7° Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59/61cm
FORK	Full Carbon Aero Road 1.4*1.5 integrated head, disc brake flat mount, thru axle 12x100	HANDLEBAR	Velomann Compact, alloy 6061, diam. 31.8mm, reach 80mm, drop 130mm Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
SHIFTER	Shimano 105 DI2 hydraulic disc brake for road, ST-R7170, BR-R7170, for 160mm rotor	GRIP / TAPE	Bianchi Hexagon tape, 2.5mm thickness, black
REAR DERAILEUR	Shimano 105 DI2, RD-R7150 12-speed	SEATPOST	Velomann carbon, 15mm offset, 27.2mm, 350mm
FRONT DERAILEUR	Shimano 105 DI2, FD-R7150 12-speed	SADDLE	Velomann Mitora139.1 saddle, 250x139mm, steel rail
CRANKSET	Shimano 105 12sp, FC-R7100, 50/34T for rear 12- speed, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Token Ninja Lite BB4124PS, for 24mm spindle, threaded design		
CHAIN	Shimano 12sp, CN-M7100		
CASSETTE / FREEWHEEL	Shimano, 105 12sp, CS-R7100, 11-12-13-14-15-17-19-21-24-27-30-34T		
BRAKE	Shimano, BR-R7170 Hydraulic disc brake, included in the shifter		

NEW

SPRINT | 105 12SP | YTBR5

¥ 19998.00



The image shown is indicative only. Components and graphic detail may differ from actual model. Bianchi reserves the right to amend specifications and/or prices.

COLOR	SX - CK16 / Black - Full Glossy SZ - Light grey / Iridescent - Full Glossy	BRAKE	Shimano, Hydraulic disc brake, included in the shifter
FRAME	Sprint carbon monocoque, mechanical/electronic shifting compatible, BB-PressFit 86,5x41, head tube 11.4-1.5, integrated seat clamp, disc brake flat mount, thru axle 12x142 sizes 47-50-53-55-57-59-61cm	BRAKE LEVER	included
SEATPOST CLAMP	included in the frame	DISC ROTOR	Shimano rotor for disc brake center lock, SM-RT70, 160mm
HEADSET	ACROS & FSA, for internal cable routing	RIM/WHEELSET	Velomann V30R, alloy, 23mm channel, 30mm profile. 2 to 1 spoke pattern, J-bend spokes, black, HG11 body, weight : 1790g
FORK	Full Carbon Aero Road 1.4*1.5 integrated head , disc brake flat mount, thru axle 12x100	TIRE	Vittoria Rubino V 28-622 TLR full black G2.0, graphene + silica, 100TPI,
SHIFTER	Shimano 105 hydraulic disc brake for road, ST-R7120, BR-R7170, for 160mm rotor	STEM	Velomann, Alloy 6061, raise - 7° Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59/61cm
REAR DERAILEUR	Shimano 105 12sp, RD-R7100	HANDLEBAR	Velomann Compact, alloy 6061, diam. 31.8mm, reach 80mm, drop 130mm Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
FRONT DERAILEUR	Shimano 105 12sp, FD-R7100	GRIP / TAPE	Bianchi Hexagon tape, 2.5mm thickness, black
CRANKSET	Shimano 105 12sp, FC-R7100, 50/34T for rear 12- speed, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm	SEATPOST	Velomann carbon, 15mm offset, 27.2mm, 350mm
BOTTOM BRACKET	Token Ninja Lite BB4124PS, for 24mm spindle, threaded design	SADDLE	Velomann Mitora139.1 saddle, 250x139mm, steel rail
CHAIN	Shimano CN-M6100, 12sp		
CASSETTE / FREEWHEEL	Shimano, 105 12sp, CS-R7100, 11-12-13-14-15-17-19-21-24-27-30-34T		